

## Bruk av Mac og dynamiske nettsider i Dreamweaver

Et tilsvarende verktøy som WAMP, kalt MAMP finnes tilgjengelig for nedlasting her:

<http://www.mamp.info/en/>

Velg gratisversjonen, og følg installasjonsveiledningen.


### ***Bruk av webserveren***

Som standard vil MAMP kjøre på port 8888. Dette medfører at alle henvisninger til localhost dermed må rettes til localhost:8888.

Katalogen som tilsvarer c:\wamp\www heter med MAMP:

Application directory/Applications/MAMP/htdocs


Dette gjør at prosjekter må settes opp slik:



The image shows a screenshot of the MAMP configuration dialog box, specifically the 'Basic' tab. The dialog has a title bar with 'Basic' and 'Advanced' tabs. Below the tabs are four input fields:

- Server Name: MAMPServer
- Connect using: Local/Network (dropdown menu)
- Server Folder: /ry/Applications/MAMP/htdocs/dynamisktest (with a folder icon)
- Web URL: http://localhost:8888/dynamisktest/

At the bottom of the dialog are three buttons: 'Help', 'Save', and 'Cancel'.



## ***Bruk av databasen***

Tilkoblinger til databasen gjøres med den samme PHP-koden:

```
$tilkobling =  
mysqli_connect("localhost", "root", "", "sitatregister");
```

I Workbench kan det være at du på enkelte systemer må benytte sockets istedenfor portnummer.

Bytt tilkoblingstype fra Standard (TCP/IP) til Local Socket/Pipe, og velg socketen som vanligvis er lokalisert her:

```
/Applications/MAMP/tmp/mysql/mysql.sock
```

Setup New Connection

Connection Name:  Type a name for the connection

Connection Method:  Method to use to connect to the RDBMS

Parameters

Socket/Pipe Path:  Path to local socket or pipe file. Leave empty for default.

Username:  Name of the user to connect with.

Password:   The user's password. Will be requested later if it's not set now.

Default Schema:  The schema to use as default schema. Leave blank to select it later.